Amendments to Claims

1. (Original) A composition for controlling plant diseases caused by fungal plant pathogens comprising:

(a) at least one compound of Formula I, *N*-oxides and agriculturally suitable salts thereof



I

wherein

A is a substituted pyridinyl ring;

B is a substituted phenyl ring;

W is C=L or SO_n;

L is O or S;

R^1 and R^2 are each independently H; or C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl or C_3-C_6 cycloalkyl, each optionally substituted;

R^3 is H; or C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, C_3-C_6 cycloalkyl, C_2-C_{10} alkoxyalkyl, C_2-C_6 alkylcarbonyl, C_2-C_6 alkoxycarbonyl, C_2-C_6 alkylaminocarbonyl or C_3-C_8 dialkylaminocarbonyl; and

n is 1 or 2; and

(b) at least one compound selected from the group consisting of

(b1) alkylenebis(dithiocarbamate) fungicides;

(b2) compounds acting at the bc_1 complex of the fungal mitochondrial respiratory electron transfer site;

(b3) cymoxanil;

(b4) compounds acting at the demethylase enzyme of the sterol biosynthesis pathway;

(b5) morpholine and piperidine compounds that act on the sterol biosynthesis pathway;

(b6) phenylamide fungicides;

(b7) pyrimidinone fungicides;

(b8) phthalimides; and

(b9) fosetyl-aluminum.

2.(Original) A composition of Claim 1 in which component (a) is a compound of Formula I wherein

A is a pyridinyl ring substituted with from 1 to 4 R^5;

B is a phenyl ring substituted with from 1 to 4 R^6;

W is C=O;

R^1 and R^2 are each independently H; or C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl or C_3-C_6 cycloalkyl, each optionally substituted with one or more substituents selected from the group consisting of halogen, CN, NO_2, hydroxy, C_1-C_4 alkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_2-C_4 alkoxycarbonyl, C_1-C_4 alkylamino, C_2-C_8 dialkylamino and C_3-C_6 cycloalkylamino;

R^3 is H; and

each R^5 and R^6 is independently C_1-C_6 alkyl, C_2-C_6 alkenyl, C_2-C_6 alkynyl, C_3-C_6 cycloalkyl, C_1-C_6 haloalkyl, C_2-C_6 haloalkenyl, C_2-C_6 haloalkynyl, C_3-C_6 halocycloalkyl, halogen, CN, CO_2H, $CONH_2$, NO_2, hydroxy, C_1-C_4 alkoxy, C_1-C_4 haloalkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_1-C_4 haloalkylthio, C_1-C_4 haloalkylsulfinyl, C_1-C_4 haloalkylsulfonyl, C_1-C_4 alkylamino, C_2-C_8 dialkylamino, C_3-C_6 cycloalkylamino, C_2-C_6 alkylcarbonyl, C_2-C_6 alkoxycarbonyl, C_2-C_6 alkylaminocarbonyl, C_3-C_8 dialkylaminocarbonyl or C_3-C_6 trialkylsilyl; or

each R^5 and R^6 is independently a phenyl, a benzyl, a phenoxy, a 5- or 6-membered heteroaromatic ring or a 5- or 6-membered nonaromatic heterocyclic ring, each ring optionally substituted with from one to three substituents independently selected from R^7; or

two R^6 attached to contiguous carbon atoms are taken together with said carbon atoms to form a fused phenyl ring, a fused 5- or 6-membered nonaromatic carbocyclic ring, a fused 5- or 6-membered heteroaromatic ring or a fused 5- or 6-membered nonaromatic heterocyclic ring, each fused ring optionally substituted with from one to three substituents independently selected from R^7;

each $R^7$is independently C_1-C_4 alkyl, C_2-C_4 alkenyl, C_2-C_4 alkynyl, C_3-C_6 cycloalkyl, C_1-C_4 haloalkyl, C_2-C_4 haloalkenyl, C_2-C_4 haloalkynyl, C_3-C_6 halocycloalkyl, halogen, CN, NO_2, C_1-C_4 alkoxy, C_1-C_4 haloalkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_1-C_4 alkylamino, C_2-C_8 dialkylamino, C_3-C_6 cycloalkylamino, C_3-C_6 (alkyl)cycloalkylamino, C_2-C_4 alkylcarbonyl, C_2-C_6 alkoxycarbonyl, C_2-C_6 alkylaminocarbonyl, C_3-C_8 dialkylaminocarbonyl or C_3-C_6 trialkylsilyl.

3. (Original) A composition of Claim 2 wherein component (b) is cymoxanil.

4. (Original) A composition of Claim 2 wherein component (b) is a compound selected from (b2).

5. (Original) A composition of Claim 4 wherein component (b) is famoxadone.

6. (Original) The composition of Claim 1 wherein component (b) comprises at least one compound from each of two different groups selected from (b1), (b2), (b3), (b4), (b5), (b6), (b7), (b8) and (b9).

7. (Original) The composition of Claim 6 wherein component (b) comprises at least one compound selected from (b2) and at least one compound selected from (b1), (b3), (b6), (b7), (b8) or (b9); wherein the overall weight ratio of component (b) to component (a) is from 30:1 to 1:30; and wherein the weight ratio of component (b2) to component (a) is from 10:1 to 1:1.

8. (Original) The composition of Claim 6 wherein component (b) comprises cymoxanil and at least one compound selected from (b1), (b2), (b6), (b7), (b8) or (b9); wherein the overall weight ratio of component (b) to component (a) is from 30:1 to 1:30; and wherein the weight ratio of cymoxanil to component (a) is from 10:1 to 1:1.

9. (Original) A method for controlling plant diseases caused by fungal plant pathogens comprising applying to the plant or portion thereof, or to the plant seed or seedling, a fungicidally effective amount of a composition of Claim 1.

10. (Original) The method of Claim 9 wherein the disease to be controlled is caused by the fungal pathogen *Phytophthora infestans.*

11. (Original) The method of Claim 9 wherein the disease to be controlled is caused by the fungal pathogen *Plasmopara viticola.*

12. (Original) A compound of Formula Ia and *N*-oxides and agriculturally suitable salts thereof



Ia

wherein

R^4 is halogen;

R^5 is C_1-C_6 alkyl, halogen, NO_2, C_1-C_4 alkoxy, C_1-C_4 haloalkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_1-C_4 haloalkylthio, C_1-C_4 haloalkylsulfinyl or C_1-C_4 haloalkylsulfonyl;

each R^6 is independently C_1-C_6 alkyl, C_1-C_6 haloalkyl, halogen, NO_2, C_1-C_4 alkoxy, C_1-C_4 haloalkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_1-C_4 haloalkylthio, C_1-C_4 haloalkylsulfinyl or C_1-C_4 haloalkylsulfonyl; or

two R^6 attached to contiguous carbon atoms are taken together with said carbon atoms to form a fused 5- or 6-membered nonaromatic heterocyclic ring containing one or two oxygen atoms and optionally substituted with from one to four substituents independently selected from F or methyl; and

p is 1, 2, 3 or 4.

13. Cancelled.

14. (Original) A compound of Formula Ib and *N*-oxides and agriculturally suitable salts thereof



Ib

wherein

R^4 is halogen;

R^5 is C_1-C_4 haloalkoxy, C_1-C_4 haloalkylthio, C_1-C_4 haloalkylsulfinyl or C_1-C_4 haloalkylsulfonyl;

each R^6 is independently C_1-C_6 alkyl, C_1-C_6 haloalkyl, halogen, NO_2, C_1-C_4 alkoxy, C_1-C_4 haloalkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_1-C_4 haloalkylthio, C_1-C_4 haloalkylsulfinyl or C_1-C_4 haloalkylsulfonyl; or

two R^6 attached to contiguous carbon atoms are taken together with said carbon atoms to form a fused 5- or 6-membered nonaromatic heterocyclic ring containing one or two oxygen atoms and optionally substituted with from one to four substituents independently selected from F or methyl; and

p is 1, 2, 3 or 4.

15. Cancelled.

16. (Original) A compound of Formula Ic and *N*-oxides and agriculturally suitable salts thereof



Ic

wherein

R^4 is Cl or Br;

R^5 is Br or I;

each R^6 is independently C_1-C_6 alkyl, C_1-C_6 haloalkyl, halogen, NO_2, C_1-C_4 alkoxy, C_1-C_4 haloalkoxy, C_1-C_4 alkylthio, C_1-C_4 alkylsulfinyl, C_1-C_4 alkylsulfonyl, C_1-C_4 haloalkylthio, C_1-C_4 haloalkylsulfinyl or C_1-C_4 haloalkylsulfonyl; or

two R^6 attached to contiguous carbon atoms are taken together with said carbon atoms to form a fused 5- or 6-membered nonaromatic heterocyclic ring containing one or

two oxygen atoms and optionally substituted with from one to four substituents independently selected from F or methyl; and

p is 1, 2, 3 or 4.

17. (New) The composition of Claim 1 wherein component (a) is 2,6-dichloro-*N*-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide.

18. (New) A composition of Claim 1 comprising (a) a compound of the formula



wherein $(R^5)_m$ is 3-Cl-5-CF_3 ,$R^1$is H, R^2 is H, $(R^6)_p$ and is 2,6-di-Cl; (b2) at least one compound selected from compounds acting at the bc1 complex of the fungal mitochondrial respiratory electron transfer site; and optionally at least one compound selected from the group consisting of compounds of (b1), (b3), (b4), (b5), (b6), (b7), (b8) and (b9).

19. (New) The composition of Claim 18 comprising a strobilurin fungicide that acts at the bc1 complex of the fungal mitochondrial respiratory electron transfer site.

20. (New) The composition of Claim 18 comprising famoxadone or fenamidone.

21. (New) The composition of Claim 20 comprising famoxadone and a compound selected from the group consisting of mancozeb, maneb, propineb, zineb, cymoxanil, metalaxyl, benalaxyl, oxadixyl, 6-iodo-3-propyl-2-propyloxy-4(3*H*)-quinazolinone, 6-chloro-2-propoxy-3-propylthieno[2,3-*d*]pyrimidin-4(3*H*)-one, folpet, captan and fosetyl-aluminum.

22. (New) The composition of Claim 18 comprising at least one compound selected from the groups consisting of acibenzolar, benalaxyl, benomyl, blasticidin-S, Bordeaux mixture (tribasic copper sulfate), carpropamid, captafol, captan, carbendazim, chloroneb, chlorothalonil, copper oxychloride, copper salts such as copper sulfate and copper hydroxide, cyazofamid, cymoxanil, cyprodinil, (*S*)-3,5-dichloro-*N*-(3-chloro-1-ethyl-1-methyl- 2-oxopropyl)-4-methylbenzamide (RH 7281), diclocymet (S-2900), diclomezine, dicloran, dimethomorph, diniconazole-M, dodemorph, dodine, edifenphos, fencaramid (SZX0722), fenpiclonil, fentin acetate, fentin hydroxide, fluazinam, fludioxonil, flumetover (RPA 403397), flutolanil, folpet, fosetyl-aluminum, furalaxyl, furametapyr (S-82658), iprobenfos, iprodione, isoprothiolane, iprovalicarb, kasugamycin, mancozeb, maneb, mefenoxam, mepronil, metalaxyl, metiram-zinc, myclobutanil, neo-asozin (ferric methanearsonate), oxadixyl, pencycuron, prochloraz, procymidone, propamocarb, propineb, pyrifenox, pyrimethanil, pyroquilon, quinoxyfen, spiroxamine, sulfur, thifluzamide, thiophanate-methyl, thiram, triadimefon, tricyclazole, validamycin, vinclozolin, zineb and zoxamid.